VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 12/17/2025 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : VERSAPASS® DA-W v2 Magenta

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Ink for printing
Restrictions on use : No additional information available

1.4. Supplier's details

Supplier
Memjet Ltd.
14 Montague Lane
Dublin 2, D02 PX60
Ireland
+353 1 678 0420
msds@memjet.com
www.memjet.com

Importer

1.5. Emergency phone number

Emergency number : CHEMTREC Primary Phone Numbers (24 hours): U.S. 1-800-424-9300, International: +1-703-527-3887, Local : +1 703-741-5970

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR § 1910.1200)

Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity — Repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning
Hazard statements (GHS US) : H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US) : P260 - Do not breathe vapors.
P264 - Wash hands thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, eye protection.
P302+P352 - If on skin: Wash with plenty of soap and water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 - Get medical advice, Get medical attention.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice, Get medical attention.
P337+P313 - If eye irritation persists: Get medical advice, Get medical attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR § 1910.1200)
Ethylene glycol	CAS-No.: 107-21-1	≥ 5 – < 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
2,2'-(ethylenedioxy)diethanol	CAS-No.: 112-27-6	≥ 5 – < 10	Not classified
Glycerine	CAS-No.: 56-81-5	≥ 1 – < 5	Not classified
6-Benzothiazolesulfonic acid, 2-[4-cyano-3-(1,1-dimethylethyl)-5-[2-[4-methyl-6-[(6-sulfo-2-benzothiazolyl)(2,4,6-trimethyl-3-sulfophenyl)amino]-2-[(2,4,6-trimethyl-3-sulfophenyl)amino]-3-pyridinyl]diazenyl]-1H-pyrazol-1-yl]-, potassium sodium salt	CAS-No.: 1158816-93-3	≥ 1 – < 5	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate	CAS-No.: 9014-85-1	≥ 0.5 – < 1.5	Eye Dam. 1, H318 Aquatic Chronic 3, H412
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Name	Product identifier	%	GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR § 1910.1200)
Sodium hydroxide	CAS-No.: 1310-73-2	≥ 0.1 – < 1	Skin Corr. 1A, H314

Comments : The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of § 1910.1200

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth out with water. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : At high concentrations, the vapors can be irritating to the respiratory system.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Rednesses. Itching. Swelling. Allergic skin rash.

Symptoms/effects after eye contact : Causes serious eye irritation. Blurred vision. Redness, itching, tears.

Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.

Chronic symptoms : May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Water spray. Foam. Use extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes. In case of fire and/or explosion do not breathe fumes.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Evacuate the danger area. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Fight fire from safe distance and protected location. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Do not attempt to take action without suitable protective equipment.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapors. Do not touch or walk on the spilled product. No action shall be taken without appropriate training or involving any personal risk.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

Environmental precautions : Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Caution : this product can cause the floor to be slippery.

Methods for cleaning up : Move containers from spill area. Recover small spills with a suitable absorbent, like diatomaceous earth. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Ventilate spillage area. Clean contaminated surfaces with an excess of water. Prevent entry to sewers and public waters.

Other information : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Do not breathe vapors. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Strong oxidizers, Store in a dry place. Keep away from food, drink and animal feed. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in accordance with local, regional, national or international regulation.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Ethylene glycol (107-21-1)	
USA - ACGIH® - Threshold Limit Values	
Local name	Ethylene glycol
ACGIH® TLV® TWA	25 ppm (V - Vapor fraction)
ACGIH® TLV® STEL	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
	50 ppm (V - Vapor fraction)
Remark (ACGIH®)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Ethylene glycol (vapor)
Cal/OSHA C	100 mg/m³
	40 ppm
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)

2,2'-(ethylenedioxy)diethanol (112-27-6)	
USA - ACGIH® - Threshold Limit Values	
Local name	Triethylene glycol
ACGIH® TLV® TWA	10 mg/m³ (IFV - Inhalable fraction and vapor)
Remark (ACGIH®)	TLV® Basis: Body weight eff; Eye irr
Regulatory reference	ACGIH 2025

Glycerine (56-81-5)	
USA - OSHA - Occupational Exposure Limits	
Local name	Glycerin (mist)
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Glycerin mist
Cal/OSHA PEL (OEL TWA)	10 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)

Sodium hydroxide (1310-73-2)	
USA - ACGIH® - Threshold Limit Values	
Local name	Sodium hydroxide
ACGIH® TLV® C	2 mg/m³
Remark (ACGIH®)	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025

Sodium hydroxide (1310-73-2)	
USA - OSHA - Occupational Exposure Limits	
Local name	Sodium hydroxide
OSHA PEL TWA	2 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Sodium hydroxide; caustic soda
Cal/OSHA PEL (OEL TWA)	2 mg/m³
Cal/OSHA C	2 mg/m³
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)
USA - NIOSH - Occupational Exposure Limits	
Local name	Sodium hydroxide
NIOSH REL (Ceiling)	2 mg/m³
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
Monitoring methods	
Monitoring methods	Refer to all applicable national, international and local regulations or provisions.

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure.

Environmental exposure controls : Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the NIOSH standards and in discussion with the supplier of the protective equipment.

Hand protection:
Chemical resistant gloves (according to NIOSH standard). Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Eye protection:
Chemical goggles or safety glasses

Skin and body protection:
Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

Respiratory protection:
No respiratory protection needed under normal use conditions. Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment. All respirators must conform to specifications for efficiency and performance indicated by OSHA Standard 29 CFR 1910.134 and NIOSH Standards

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	:	Liquid
Color	:	Red
Odor	:	According to product specification
Odor threshold	:	No data available
pH	:	6 – 8
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Density	:	1 – 1.1
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	1.818 – 4 mm²/s
Viscosity, dynamic	:	2 – 4 mPa·s (25 °C, 77 °F)
Explosion limits	:	No data available
Particle characteristics	:	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization: Will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
ATE US (oral)	500 mg/kg body weight
ATE US (gases)	100 ppmV/4h
ATE US (vapors)	0.5 mg/l/4h
ATE US (dust, mist)	0.05 mg/l/4h

Ethylene glycol (107-21-1)	
LD50 dermal rat	> 3500 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 2.5 mg/l/4h
LC50 Inhalation - Rat (Vapors)	> 2.5 mg/l/4h
ATE US (oral)	500 mg/kg body weight

2,2'-(ethylenedioxy)diethanol (112-27-6)	
LD50 oral rat	> 2000 mg/kg body weight
LD50 oral	> 16 ml/kg
LC50 Inhalation - Rat	5.14 mg/kg
ATE US (vapors)	5.14 mg/l/4h
ATE US (dust, mist)	5.14 mg/l/4h

Glycerine (56-81-5)	
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat (Vapors)	> 2 mg/l/4h

2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Vapors)	> 20 mg/l/4h

Skin corrosion/irritation : Not classified
pH: 6 – 8

Serious eye damage/irritation : Causes serious eye irritation.
pH: 6 – 8

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Ethylene glycol (107-21-1)	
LOAEL (oral,rat,90 days)	1000 mg/kg bodyweight/day
NOAEL (oral,rat,90 days)	150 mg/kg bodyweight/day (kidney)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
NOAEL (subacute,oral,animal/male,28 days)	200 mg/kg body weight

Aspiration hazard : Not classified

VERSAPASS® DA-W v2 Magenta	
Viscosity, kinematic	1.818 – 4 mm²/s

Symptoms/effects after inhalation : At high concentrations, the vapors can be irritating to the respiratory system.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Rednesses. Itching. Swelling. Allergic skin rash.

Symptoms/effects after eye contact : Causes serious eye irritation. Blurred vision. Redness, itching, tears.

Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.

Chronic symptoms : May cause damage to organs through prolonged or repeated exposure.

Other information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Ethylene glycol (107-21-1)	
LC50 - Fish [1]	72860 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)
EC50 96h - Algae [1]	3536 mg/l
EC50 96h - Algae [2]	6500 – 13000 mg/l (Pseudokirchneriella subcapitata)
NOEC (chronic)	≥ 1000 mg/l (23 d, Americamysis bahia)

2,2'-(ethylenedioxy)diethanol (112-27-6)	
LC50 - Fish [1]	> 10000 mg/l (96 h, Lepomis macrochirus)
EC50 - Crustacea [1]	> 10000 mg/l (48 h, Daphnia magna)
NOEC (chronic)	> 15000 mg/l (21 d, Daphnia magna)

Glycerine (56-81-5)	
LC50 - Fish [1]	54000 mg/l (96 h, Oncorhynchus mykiss)

Sodium hydroxide (1310-73-2)	
EC50 - Crustacea [1]	40 mg/l

12.2. Persistence and degradability

VERSAPASS® DA-W v2 Magenta	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

VERSAPASS® DA-W v2 Magenta	
Bioaccumulative potential	No data available concerning bioaccumulation.

12.4. Mobility in soil

VERSAPASS® DA-W v2 Magenta	
Ecology - soil	No additional information available.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available.
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Do not dispose of waste into sewer.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information : Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3. Transport hazard class(es)			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.4. Packing group			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.5. Environmental hazards			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
No supplementary information available			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not regulated.

TDG
Not regulated.

IMDG
Not regulated.

IATA
Not regulated.

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
6-Benzothiazolesulfonic acid, 2-[4-cyano-3-(1,1-dimethylethyl)-5-[2-[4-methyl-6-[(6-sulfo-2-benzothiazolyl)(2,4,6-trimethyl-3-sulfophenyl)amino]-2-[(2,4,6-trimethyl-3-sulfophenyl)amino]-3-pyridinyl]diazenyl]-1H-pyrazol-1-yl]-, potassium sodium salt	CAS-No. 1158816-93-3	≥ 1 – < 5%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.		
Ethylene glycol	CAS-No. 107-21-1	≥ 5 – < 10%

Ethylene glycol (107-21-1)	
Listed on EPA Hazardous Air Pollutant (HAPS) Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits	
CERCLA RQ	5000 lb

Sodium hydroxide (1310-73-2)	
CERCLA RQ	1000 lb

15.2. International regulations

CANADA

6-Benzothiazolesulfonic acid, 2-[4-cyano-3-(1,1-dimethylethyl)-5-[2-[4-methyl-6-[(6-sulfo-2-benzothiazolyl)(2,4,6-trimethyl-3-sulfophenyl)amino]-2-[(2,4,6-trimethyl-3-sulfophenyl)amino]-3-pyridinyl]diazenyl]-1H-pyrazol-1-yl]-, potassium sodium salt (1158816-93-3)
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

1,2-benzisothiazol-3(2H)-one (2634-33-5)
Listed on the Canadian DSL (Domestic Substances List)

Ethylene glycol (107-21-1)
Listed on the Canadian DSL (Domestic Substances List)

2,2'-(ethylenedioxy)diethanol (112-27-6)
Listed on the Canadian DSL (Domestic Substances List)

Glycerine (56-81-5)
Listed on the Canadian DSL (Domestic Substances List)

2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)
Listed on the Canadian DSL (Domestic Substances List)

Sodium hydroxide (1310-73-2)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

1,2-benzisothiazol-3(2H)-one (2634-33-5)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethylene glycol (107-21-1)
Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits

2,2'-(ethylenedioxy)diethanol (112-27-6)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Glycerine (56-81-5)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Sodium hydroxide (1310-73-2)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

WARNING: This product can expose you to Ethylene glycol (ingested), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 12/17/2025

Data sources : Supplier's safety documents. ECHA (European Chemicals Agency).

Training advice : Training staff on good practice.

Full text of hazard classes and H-statements	
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Full text of hazard classes and H-statements	
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms	
ATE	Acute Toxicity Estimate
CAS-No.	Chemical Abstracts Service number
EC50	Median effective concentration
EC-No.	European Community number
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
OEL	Occupational Exposure Limit
OECD	Organization for Economic Co-operation and Development
SDS	Safety Data Sheet

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.